	Application No.	Applicant(s)
Notice of Allowability	10/566,131	EJIMA ET AL.
	Examiner	Art Unit
	Disler Paul	2615
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	pears on the cover sheet wind	n this application. If not included unication will be mailed in due course. THIS
1. This communication is responsive to <u>1/27/06</u> .		
2. The allowed claim(s) is/are 51-70.		
 3. Acknowledgment is made of a claim for foreign priority of a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents and International Bureau (PCT Rule 17.2(a)). 	ve been received. ve been received in Applicati	on No
* Certified copies not received:	•	
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	IMENT of this application.	
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examine Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	t 1.84(c)) should be written on n the header according to 37 C	the drawings in the front (not the back) of FR 1.121(d).
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 ☐ Notice of I	nformal Patent Application
Notice of References Cited (FTO-692) Notice of Draftperson's Patent Drawing Review (PTO-948)	<u> </u>	Summary (PTO-413),
3. ⊠ Information Disclosure Statements (PTO/SB/08),	Paper No	o./Mail Dates Amendment/Comment
Paper No./Mail Date 3/29;9/14/06 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	t 8. 🛛 Examiner'	s Statement of Reasons for Allowance
	9. 🔲 Other	•
		

Application/Control Number: 10/566,131

Art Unit: 2615

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 50-71 are allowed.
- 2. Re claim 50, While, the combined teaching of Katou et al. and Fujita et al. as a whole, teach of having the audio signal band extending apparatus comprising: the noise generating device for generating a noise signal level-correlated to and so as to change according to one of a level of an inputted signal using bandpass filter (katou, fig.1) and the further having a processor and adding device for adding up the inputted signal and an outputted signal form said signal processing device, and for outputting a signal having an addition result, wherein the noise generating device comprises: a level signal generating device for detecting a level of a signal inputted to said noise generating device, and for generating and outputting a level signal having a detected level; a noise signal generating device for generating and outputting a noise signal according to the signal inputted to said noise generating device.

However, the combined teaching of Katou et al. and fujita et al. as a whole, fail to disclose of the specific wherein the signal processing device for multiplying a generated noise signal by a predetermined transfer function so that, at a lower limit frequency of a predetermined band-extended signal, a level of the generated noise signal substantially coincides with the level of the inputted signal and a spectral continuity thereof is kept when addition is executed by an adding device, and for outputting a signal having a multiplication result; and a multiplying device for multiplying the level signal from said level signal generating device by the noise signal from said noise signal generating device, and for outputting a noise signal having a multiplication result.

Application/Control Number: 10/566,131

Art Unit: 2615

Re claim 51, While, the combined teaching of Katou et al. and Fujita et al. as a whole, teach of having the audio signal band extending apparatus comprising: the noise generating device for generating a noise signal level-correlated to and so as to change according to one of a level of an inputted signal using bandpass filter (katou, fig.1) and the further having a processor and adding device for adding up the inputted signal and an outputted signal form said signal processing device, and for outputting a signal having an addition result.

However, the combined teaching of Katou et al. and fujita et al. as a whole, fail to disclose of the specific wherein the signal processing device for multiplying a generated noise signal by a predetermined transfer function so that, at a lower limit frequency of a predetermined band-extended signal, a level of the generated noise signal substantially coincides with the level of the inputted signal and a spectral continuity thereof is kept when addition is executed by an adding device, and for outputting a signal having a multiplication result; and further wherein said noise generating device comprises: a first cutting-out device for cutting out predetermined higher-order bits from the signal inputted to said noise generating device, and for outputting a signal including the higher-order bits; at least one second cutting-out device for cutting out at least one of predetermined intermediate-order bits and predetermined lower-order bits from the signal inputted to said noise generating device, and for outputting a signal including the at least one of the predetermined intermediate-order bits and predetermined lower-order bits; and a multiplying device for multiplying a signal from said first cutting-out device by a signal from said second cutting-out device, and for outputting a noise signal having a multiplication result.

Application/Control Number: 10/566,131

Art Unit: 2615

Re claim 52, While, the combined teaching of Katou et al. and Fujita et al. as a whole, teach of having the audio signal band extending apparatus comprising: the noise generating device for generating a noise signal level-correlated to and so as to change according to one of a level of an inputted signal using bandpass filter (katou, fig.1) and the further having a processor and adding device for adding up the inputted signal and an outputted signal form said signal processing device, and for outputting a signal having an addition result.

However, the combined teaching of Katou et al. and fujita et al. as a whole, fail to disclose of the specific wherein the signal processing device for multiplying a generated noise signal by a predetermined transfer function so that, at a lower limit frequency of a predetermined band-extended signal, a level of the generated noise signal substantially coincides with the level of the inputted signal and a spectral continuity thereof is kept when addition is executed by an adding device, and for outputting a signal having a multiplication result; and further wherein said noise generating device comprises: a non-uniformity quantization device for quantizing a signal inputted to said noise generating device non-uniformly relative to a level thereof, and for outputting a resultant signal; a dequantization device for executing a processing opposite to a processing executed by said non-uniformity quantization device on a signal from said nonuniformity quantization device, and for outputting a resultant signal; and a subtraction device for generating and outputting a quantized noise signal of the signal inputted to said noise generating device by calculating a difference between the signal inputted to said noise generating device and a signal from said dequantization device.

Page 5

Application/Control Number: 10/566,131

Art Unit: 2615

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Disler Paul whose telephone number is 571-270-1187. The examiner can normally be reached on 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chin Vivian can be reached on 571-272-7848. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DP

VIVIAN CHIN SUPERVIBOEV PATENT EXAMINER TECHNOLOGY VILLER 2200